

L Number	Hits	Search Text	DB	Time stamp
13	4	((("5613861") or ("5644349") or ("5944537") or ("5665648")).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/11/01 02:51
-	9	"6396677"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:44
-	59	chua-christopher-l.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:44
-	111	peeters-eric.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:44
-	1	schuylenbergh-koenraad-f.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:44
-	102	smith-donald-l.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:44
-	249	chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:44
-	18	(chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:45
-	16	((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:45
-	430	(vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 11:38
-	82	((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and release or epitaxial)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:46
-	65	((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:46
-	55	((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial))) and (etch\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:47

-	38	<p>(((((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial)))) and (etch\$4)) not ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) and release) "5914218".PN.  ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)))</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:47
-	24	<p>(((((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial)))) and (etch\$4)) not ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) and release) "5914218".PN.  ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process))) and bias and spring</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:47

-	1	"20020080554"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:01
-	7	("5446616" "5613861" "5619071" "5848685" "5914218" "6229684").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:47
-	9	"6396677" not (("5446616" "5613861" "5619071" "5848685" "5914218" "6229684").PN.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:47
-	7	("5444599"   "5446616"   "5613861"   "5619071"   "5848685"   "5914218"   "6229684").PN.	USPAT	2004/07/22 10:47
-	6	6396677.URPN.	USPAT	2004/07/22 10:47
-	7	(US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.	USPAT	2004/07/22 10:48
-	15	((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) and release	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:48
-	1	"5914218".PN.	USPAT	2004/07/22 10:48
-	16	(((((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial))) and (etch\$4)) not ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) and release) "5914218".PN. ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)))) and bias and spring) and stress	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 10:48

-	31	<p>(((((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial)))) and (etch\$4)) not ((((((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial)))) and (etch\$4)) not ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.) ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) and release) "5914218".PN.  ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)))) and bias and spring)</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 11:39
---	----	---	---	---------------------

-	15	<p>(((((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial)))) and (etch\$4)) not ((((((vari\$5 adj capacitor) and substrate and (method or process) and (movable or spring) and (insulat\$4 or dielectric) and voltage) and (coil and (release or epitaxial)))) and (etch\$4)) not ((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process)) not ((US-6229684-\$ or US-5914218-\$ or US-5848685-\$ or US-5613861-\$ or US-6606235-\$ or US-6396677-\$ or US-6595787-\$).did.)) (((chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.) and (vari\$5 adj capacitor) and substrate and (method or process))) and bias and spring)) not (chua-christopher-l.in. peeters-eric.in. schuylenbergh-koenraad-f.in. smith-donald-l.in.)</p>	<p>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</p>	<p>2004/07/22 11:41</p>
-	6	("1608993"   "1861869"   "1961783"   "2308863"   "2448642"   "2685070").PN.	USPAT	2004/07/22 11:43
-	6	("1608993"   "1861869"   "1961783"   "2308863"   "2448642"   "2685070").PN.	USPAT	2004/07/22 11:43
-	2	6184755.URPN.	USPAT	2004/07/22 11:44